

### **PRODUCT SPECIFICATION**

USB 8-Slot Charging Dock Model : D851

#### **Revision History**

Revision	Date	Initiator	Reason for Change
0.0	31 Mar 2020	CC Li	Initial release

Prepared By	Approved By	
CC Li	Vincent Lam	
Date: 31 Mar 2020	Date: 31 Mar 2020	

#### **GPI International Limited**


7/F, Building 16W, 16 Science Park West Avenue Hong Kong Science Park, New Territories, Hong Kong, Tel: (852) 2484 3333 Fax: (852) 24805912 Email: gpii@goldpeak.com

Website: http://www.gpbatteries.com

## **GP** Batteries

Model no.: D851

### **Product Specification**



Product Name : USB 8-Slot Charging Dock **D851** 

Input : DC5V 2A

Applicable Charger : 1 or 2 pcs of USB 4-slot Charger of B421, M421 and/or P421

Operation Temperature : 0°C to 33°C

Dimensions : 114.8 (L) x 82.3 (W) x 26.6 (H) mm

Weight : 100.5 g (approx.)
Certification : CE, FCC, Rohs

Warranty Period : 12 months from ex-factory date


# **GP** Batteries

Model no.: D851

### **Product Specification**

CD Indication :						
CONDITION	SCREEN DESCRIPTION	LCD STATES				
Power on and no charger box inserted	8 Power block turn on					
Charging in progress	Corresponding battery power block flashing					
When charging is finished and then switch to trickle charge	Corresponding battery all power block invariability					
No battery in changer box slot	Corresponding battery icon on					
Changer box plug off	8 Batteries icon flashing 10s (f=0.5Hz)					
Bad/ Primary battery inserted	Corresponding battery icon flashing (f=2Hz)					

CONDITION	SCREEN DESCRIPTION	LCD STATES
Ageing battery	Corresponding warning icon turn on and battery power block flashing	



Member
Gold Peak Group
Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.